

### SECTION 1: Identification

**Product trade name:** Yellow Oxide

**Product Code:** YO

**Recommended use of the chemical and restrictions on use:**

**Use:** Colour additive  
**Restrictions on use:** Cosmetic applications, ingestion  
**Manufacturer/Supplier:** Good Life Innovations Ltd (Special FX Creative)  
Unit 15, Newhaven Enterprise Centre  
Denton Island  
Newhaven  
East Sussex  
BN9 9BA  
UK  
0207 118 3123  
Sales@sfxc.co.uk

### SECTION 2: Hazard(s) identification

**Classification of the substance or mixture:**

Not classified as hazardous under any GHS hazard class (UN GHS).

**Label elements:**

**Hazard pictogram(s):** Not Applicable  
**Signal word:** Not Applicable  
**Hazard statements:** Not Applicable  
**Precautionary statements:** Not Applicable  
**Supplemental information:** No Additional Information

**Other hazards:** Dermal contact may discolor the skin due to dye characteristics. May form combustible dust concentrations in air.

See Section 11 for toxicological information.

### SECTION 3: Composition/information on ingredients

**Substance:**

No Hazardous Components found under applicable regulations.

Amounts specified are typical and do not represent a specification. Remaining components are proprietary, non-hazardous, and/or present at amounts below reportable limits.

### SECTION 4: First-aid measures

**Description of first aid measures:**

**General:** If irritation or other symptoms occur or persist from any route of exposure, remove the affected individual from the area: see a physician/get medical attention.

**Eye contact:** Any material that contacts the eye should be washed out immediately with water. Get medical attention if

symptoms occur.

**Skin contact:** Wash the affected area thoroughly with plenty of soap and water. Get medical attention if symptoms occur.

**Inhalation:** If affected, remove to fresh air. Get medical attention if symptoms occur.

**Ingestion:** Get medical attention if symptoms occur.

**Protection of first aid responders:** Wear proper personal protective clothing and equipment.

**Most important symptoms and effects, both acute and delayed:** Irritation, Skin discoloration due to dye. Preexisting sensitization, skin and/or respiratory disorders or diseases may be aggravated. See section 11 for additional information.

**Indication of any immediate medical attention and special treatment needed, if necessary:** Treat symptomatically.

## SECTION 5: Fire-fighting measures

**Extinguishing media:**

**Suitable:** Carbon dioxide, foam, dry chemical, water.

**Unsuitable:** Avoid hose streams or any method which will create dust clouds.

**Special hazards arising from the chemical:**

**Unusual fire/explosion hazards:** Concentrated dust/air combinations may produce explosive conditions. As with all organic dusts, fine particles suspended in air in critical proportions and in the presence of an ignition source may ignite and/or explode. Dust may be sensitive to ignition by electrostatic discharge, electrical arcs, sparks, welding torches, cigarettes, open flame, or other significant heat sources. As a precaution, implement standard safety measures for handling finely divided organic powders. See Section 7 for suggested measures.

**Hazardous combustion products:** Irritating or toxic substances may be emitted upon burning, combustion or decomposition. See section 10 (Hazardous decomposition products) for additional information.

**Special protective equipment and precautions for fire-fighters:** Avoid hose streams or any method which will create dust clouds. Wear self-contained breathing apparatus (SCBA) equipped with a full facepiece and operated in a pressure-demand mode (or other positive pressure mode) and approved protective clothing. Personnel without suitable respiratory protection must leave the area to prevent significant exposure to hazardous gases from combustion, burning or decomposition. In an enclosed or poorly ventilated area, wear SCBA during cleanup immediately after a fire as well as during the attack phase of firefighting operations.

See section 9 for additional information.

## SECTION 6: Accidental release measures

**Personal precautions, protective equipment and emergency procedures:** See Section 8 for recommendations on the use of personal protective equipment. If spilled in an enclosed area, ventilate. Avoid raising powdered material due to explosion hazard. Use spark-proof and explosion-proof equipment. If inhalation of dust cannot be avoided, wear an approved particulate respirator.

**Environmental precautions:** Do not flush product into public sewer, water systems or surface waters.

**Methods and materials for containment and cleaning up:** Contain spill. Wear proper personal protective clothing and equipment. Using care to avoid dust generation, vacuum or sweep into a closed container for reuse or disposal. Use approved industrial vacuum cleaner for removal. Avoid causing dust. Place into labeled, closed container; store in safe location to await disposal. Change contaminated clothing and laundry before reuse.

## SECTION 7: Handling and storage

**Precautions for safe handling:** As with any chemical product, use good laboratory/workplace procedures. Wash thoroughly after handling this product. Always wash up before eating, smoking or using the facilities. Use under well-ventilated conditions. Avoid eye contact. Avoid repeated or prolonged skin contact. Avoid drinking, tasting, swallowing or ingesting this product. Avoid routine inhalation of dust of any kind. Exercise care when emptying containers, sweeping, mixing or doing other tasks which can create dust. Wash contaminated clothing before reuse. Provide eyewash fountains and safety showers in the work area. As a precaution to control dust explosion potential, implement the following safety measures: Eliminate ignition sources (e.g., sparks, static buildup, excessive heat, etc.). In general, dust of organic materials is a static charge generator which may be ignited by electrostatic

discharge, electrical arcs, sparks, welding torches, cigarettes, open flame, or other significant heat sources. Use spark-proof tools and equipment. Bond, ground and properly vent conveyors, dust control devices and other transfer equipment. Prohibit flow of polymer, powder or dust through non-conductive ducts, vacuum hoses or pipes, etc.; only use grounded, electrically conductive transfer lines when pneumatically conveying product. Good housekeeping and controlling of dusts are necessary for safe handling of product. Prevent accumulation of dust (e.g., well-ventilated conditions, promptly vacuuming spills, cleaning overhead horizontal surfaces, etc.).

**Conditions for safe storage, including any incompatibilities:** Store cool and dry, under well-ventilated conditions. Store this material away from incompatible substances (see section 10). Do not store in open, unlabeled or mislabeled containers. Keep container closed when not in use. Product will absorb water vapor (hygroscopic).

## SECTION 8: Exposure controls / personal protection

**Control parameters:**

**Occupational exposure limits (OEL):** No applicable exposure limits.

**Exposure controls:**

**Appropriate engineering controls:** Always provide effective general and, when necessary, local exhaust ventilation to draw dust away from workers to prevent routine inhalation. Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the SDS. Eliminate ignition sources (e.g., sparks, static buildup, excessive heat, etc.). Prohibit flow of powder or dust through non-conductive ducts, vacuum hoses, or pipes, etc. Bond, ground, and properly vent conveyors, dust control devices and other transfer equipment.

**Individual protection measures, such as personal protective equipment:**

**Eye/face protection:** Wear eye protection.

**Skin and body protection:** Wear protective gloves. Use good laboratory/workplace procedures including personal protective clothing: labcoat, safety glasses and protective gloves.

**Respiratory protection:** Respiratory protection is not needed with proper ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. If inhalation of dust cannot be avoided, wear an approved particulate respirator.

**Further information:** Eyewash fountains and safety showers are recommended in the work area.

## SECTION 9: Physical and chemical properties

<b>Form:</b>	Granules	<b>pH:</b>	Not Available
<b>Appearance:</b>	Yellow orange	<b>Relative density:</b>	Not Available
<b>Odor:</b>	None	<b>Partition coefficient (n-octanol/water):</b>	Not Available
<b>Odor threshold:</b>	Not Available	<b>% Volatile by weight:</b>	<5%
<b>Solubility in water:</b>	Soluble	<b>VOC:</b>	Not Applicable
<b>Evaporation rate:</b>	Not Available	<b>Boiling point °C:</b>	Not Available
<b>Vapor pressure:</b>	Not Available	<b>Boiling point °F:</b>	Not Available
<b>Vapor density:</b>	Not Available	<b>Flash point:</b>	Not Available
<b>Viscosity:</b>	Not Applicable	<b>Auto-ignition temperature:</b>	Not Available
<b>Melting point/Freezing point:</b>	Not Available	<b>Flammability (solid, gas):</b>	Not flammable (may form combustible dust-air mixtures)
<b>Oxidizing properties:</b>	Not oxidizing	<b>Flammability or explosive limits:</b>	<b>LFL/LEL</b> Not Available
<b>Explosive properties:</b>	Not explosive		<b>UFL/UEL</b> Not Available
<b>Decomposition temperature:</b>	Not Available		

**Other information:** Amounts specified are typical and do not represent a specification.

**Dust combustibility data:** Particle size variation is considered a critical factor in regards to dust explosion hazard information. Results applicable as follows: sample particle size <75 um, <5% moisture content. Sample tested may not be typical of product.:

- Minimum explosive concentration: 100 g/m<sup>3</sup>
- Minimum Autoignition temperature (dust cloud): 570 °C
- Minimum Autoignition temperature (dust layer): 325 °C
- Maximum pressure of explosion: 7.9 bars-gauge
- Deflagration Index, Kst: 109 bar-m/sec
- Dust Hazard Class: 1 (weak)

## SECTION 10: Stability and reactivity

**Reactivity:** None known.

**Chemical stability:** This product is stable.

**Possibility of hazardous reactions:** Hazardous polymerization will not occur.

**Conditions to avoid:** Avoid dust formation.

**Incompatible materials:** Avoid strong bases and oxidizing agents.

**Hazardous decomposition products:** Oxides of carbon, oxides of nitrogen, oxides of sulfur.

## SECTION 11: Toxicological information

**Information on likely routes of exposure:**

**General:** Caution must be exercised through the prudent use of protective equipment and handling procedures to minimize exposure.

**Eyes:** Solid particles on the eye (powder/dust) may cause pain and be accompanied by irritation.

**Skin:** Repeated or prolonged skin contact may cause irritation. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.

**Inhalation:** Dust inhalation may cause respiratory irritation.

**Ingestion:** Ingestion may cause irritation.

**Acute toxicity information:** Not classified (based on available data, the classification criteria are not met). No toxicity studies have been conducted on this product. Oral LD<sub>50</sub>, Rat: >5000 mg/kg.

**Skin corrosion/irritation:** Not classified (based on available data, the classification criteria are not met).

**Serious eye damage/irritation:** Not classified (based on available data, the classification criteria are not met).

**Respiratory or skin sensitization:** Not classified (based on available data, the classification criteria are not met). FD&C YELLOW NO. 5 appears to be able to elicit intolerance reactions in a small fraction of the exposed population.

**Carcinogenicity:** Not classified.

**Germ cell mutagenicity:** Not classified.

**Reproductive toxicity:** Not classified.

**Specific target organ toxicity (STOT) - single exposure:** Not classified.

**Specific target organ toxicity (STOT) - repeated exposure:** Not classified.

**Aspiration hazard:** Not classified (technical impossibility to obtain the data).

**Other toxicity information:** No additional information available.

**Ecotoxicity:** Freshwater Fish Toxicity: The acute LC50 is >100 mg/L based on actual data. Freshwater Invertebrates Toxicity: The acute EC50 is >1000 mg/L based on actual data.

**Persistence and degradability:** Not readily biodegradable.

**Bioaccumulative potential:** Not expected to bioaccumulate.

**Mobility in soil:** Expected to be mobile in soil, as it is soluble in water.

**Other adverse effects:** No additional information available.

## SECTION 13: Disposal considerations

Dispose of unused contents (incineration or landfill) in accordance with national and local regulations. Dispose of container in accordance with national and local regulations. Ensure the use of properly authorized waste management companies, where appropriate.

See Section 8 for recommendations on the use of personal protective equipment.

## SECTION 14: Transport information

The information below is provided to assist in documentation. It may supplement the information on the package. The package in your possession may carry a different version of the label depending on the date of manufacture. Depending on inner packaging quantities and packaging instructions, it may be subject to specific regulatory exceptions.

**UN number:** N/A

**UN proper shipping name:**

Not regulated - See Bill of Lading for Details

**Transport hazard class(es):**

**U.S. DOT hazard class:** N/A

**Canada TDG hazard class:** N/A

**Europe ADR/RID hazard class:** N/A

**IMDG Code (ocean) hazard class:** N/A

**ICAO/IATA (air) hazard class:** N/A

A "N/A" listing for the hazard class indicates the product is not regulated for transport by that regulation.

**Packing group:** N/A

**Environmental hazards:**

**Marine pollutant:** Not Applicable

**Hazardous substance (USA):** Not Applicable

**Special precautions for user:** Not Applicable

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code:**

Not Applicable

## SECTION 15: Regulatory information

Safety, health and environmental regulations specific for the product in question:

### Japan regulations:

#### Japan Industrial Safety and Health Law:

<u>Chemical name</u>	<u>Category</u>
No subject chemicals	

#### Japan Fire Service Law:

<u>Chemical name</u>	<u>Category</u>	<u>TQ</u>
No subject chemicals		

#### Japan Poisonous and Deleterious Substances:

<u>Chemical name</u>	<u>Category</u>	<u>Threshold</u>
No subject chemicals		

#### Japan Prevention of Marine Pollution and Disaster:

<u>Chemical name</u>	<u>Category</u>
No subject chemicals	

#### Japan Chemical Substances Control Law:

<u>Chemical name</u>	<u>Category</u>	<u>Notes</u>
No subject chemicals		

### Korean regulations:

#### Korea Industrial Safety and Health Act:

<u>Chemical name</u>	<u>Category</u>	<u>Threshold</u>
No subject chemicals		

#### Korea Act on Registration and Evaluation of Chemical Substances (K-REACH) - Substances subject to registration:

No subject chemicals

#### Korea Chemical Control Act (CCA):

<u>Chemical name</u>	<u>Category</u>	<u>Code</u>	<u>Threshold</u>
No subject chemicals			

#### Korea Safety Control of Dangerous Substances Act (MPSS):

<u>Chemical name</u>	<u>Class</u>	<u>Threshold</u>
No subject chemicals		

#### Korea Waste Control Act: Waste disposal methods must comply with local and national laws.

<u>Chemical name</u>	<u>Notes</u>
No subject chemicals	

**Other regulations:** No Additional Information

### Chemical inventories:

<u>Regulation</u>	<u>Status</u>
Australian Inventory of Chemical Substances (AICS):	Y
Canadian Domestic Substances List (DSL):	Y
Canadian Non-Domestic Substances List (NDSL):	N
China Inventory of Existing Chemical Substances (IECSC):	Y
European Inventory of Existing Chemical Substances (EINECS):	Y
European List of Notified Chemical Substances (ELINCS):	N
Japan Existing and New Chemical Substances (ENCS):	Y
Korean Existing and Evaluated Chemical Substances (KECL):	Y
New Zealand Inventory of Chemicals (NZIoC):	Y
Philippines Inventory of Chemicals and Chemical Substances (PICCS):	Y
Taiwan Inventory of Existing Chemicals:	Y
U.S. Toxic Substances Control Act (TSCA):	Y

A "Y" listing indicates all intentionally added components are either listed or are otherwise compliant with the regulation. A "N" listing indicates that for one or more components: 1) there is no listing on the public inventory; 2) no information is available; or 3) the component has not been reviewed. A "Y" for New Zealand may mean that a qualified group standard may exist for the components in this product.

**Europe REACH (EC) 1907/2006:** Applicable components are pre-registered, exempt or otherwise compliant. REACH is only relevant to substances either manufactured or imported into the EU. Emerald Performance Materials has met its obligations under the REACH regulation. REACH information regarding this product is provided for informational purposes only. Each Legal Entity may have differing REACH obligations, depending on their place in the supply chain. For material manufactured outside of the EU, the importer of record must understand and meet their specific obligations under the regulation.

**Chemical inventory notes:** New Zealand: One or more components may be covered by a group standard.

## SECTION 16: Other information

**Legend:**

ACGIH: American Conference of Governmental Industrial Hygienists

N/A: Not Applicable

N/E: None Established

STEL: Short Term Exposure Limit

TWA: Time Weighted Average (exposure for 8-hour workday)

**Users Responsibility/Disclaimer of Liability:**

The information set forth herein is based on our current knowledge, and is intended to describe the product solely with respect to health, safety and the environment. As such, it must not be interpreted as a guarantee of any specific property of the product. As a result, the customer shall be solely responsible for deciding whether said information is suitable and beneficial.